
# STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

AMENDED REPORT

DIVISION OF OIL, GAS AND MINING															
APPLICATION FOR PERMIT TO DRILL										1. WELL NAME and NUMBER GMBU F-32-8-18					
2. TYPE OF WORK  DRILL NEW WELL REENTER P&A WELL DEEPEN WELL DEEPEN WELL										3. FIELD OR WILDCAT MONUMENT BUTTE					
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO										5. UNIT or COMMUNITIZATION AGREEMENT NAME GMBU (GRRV)					
6. NAME (	OF OPERATOR		NEWFIELD PR	RODUCTIC	ON COMPANY					7. OPERATOR PHONE 435 646-4825					
NEWFIELD PRODUCTION COMPANY  8. ADDRESS OF OPERATOR  Rt 3 Box 3630 , Myton, UT, 84052										9. OPERATOR E-MAIL mcrozier@newfield.com					
	AL LEASE NUM		1. MINERAL OWNERSHIP				12. SURFACE OWNERSHIP								
	_, INDIAN, OR S	UTU-74872			FEDERAL INDIAN STATE FEE				FEDERAL INDIAN STATE FEE						
13. NAME OF SURFACE OWNER (if box 12 = 'fee')										14. SURFACE OWNER PHO	NE (if box 12	= 'fee')			
15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee')										16. SURFACE OWNER E-MAIL (if box 12 = 'fee')					
17. INDIAN ALLOTTEE OR TRIBE NAME					B. INTEND TO COMMINGLE PRODUCTION FROM ULTIPLE FORMATIONS				19. SLANT						
(if box 12	! = 'INDIAN')				YES (Submit Commingling Application) NO					VERTICAL DIRECTIONAL HORIZONTAL					
20. LOC	ATION OF WELL			FOOT	AGES	SES QT		QTR SECTION		TOWNSHIP	RANGE	МЕ	RIDIAN		
LOCATIO	N AT SURFACE		9	982 FNL	344 FEL NE		NENE	31		8.0 S	18.0 E S		S		
Top of U	ppermost Prod	ucing Zone	1	290 FNL	199 FEL	FEL NENE		31		8.0 S	18.0 E	E S			
At Total Depth 1552 FNL				145 FWL	45 FWL SWNW		32		8.0 S	18.0 E S		S			
21. COUN	ITY	UINTAH		22	2. DISTANCE TO NEAREST LEASE LINE (Feet) 145					23. NUMBER OF ACRES IN DRILLING UNIT					
					5. DISTANCE TO NEAREST WELL IN SAME POOL Applied For Drilling or Completed) 787					<b>26. PROPOSED DEPTH</b> MD: 6632 TVD: 6550					
27. ELEVATION - GROUND LEVEL 28.					B. BOND NUMBER					29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE					
5100					WYB000493						37478				
String	Hole Size	Casing Size	Length	Weigh	Hole, Casing, ht Grade & Thr					Cement	Sacks	Yield	Weight		
Surf	12.25	8.625	0 - 300	24.0				Max Mud Wt.		Class G		1.17	15.8		
Prod	7.875	5.5	0 - 6632	15.5			8.3			nium Lite High Strength	320	3.26	11.0		
										50/50 Poz	363	1.24	14.3		
ATTACHMENTS															
	VER	IFY THE FOLLO	WING ARE A	TTACHE	ED IN ACCORDANG	CE WI	TH THE UT	AH OIL ANI	O GAS	CONSERVATION GENE	RAL RULES				
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER							COMPLETE DRILLING PLAN								
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)							FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER								
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED							TOPOGRAPHICAL MAP								
NAME Mandie Crozier					TITLE Regulatory Tech				РНО	PHONE 435 646-4825					
SIGNATURE					DATE 04/30/2012			ЕМА	EMAIL mcrozier@newfield.com						
API NUMBER ASSIGNED 43047525960000					APPROVAL				B	noggill					
I			Permit Manager												

#### T8S, R18E, S.L.B.&M. NEWFIELD EXPLORATION COMPANY N89°57'E - 79.32 G.L.O. WELL LOCATION, F-32-8-18, N88°56'07"E - 2639.73' (Meas.) N89°02'32"E - 2580.57' (Meas.) LOCATED AS SHOWN IN THE NE 1/4 1910 1910 NE 1/4 OF SECTION 31, T8S, R18E, Brass Cap Brass Cap S.L.B.&M. UINTAH COUNTY, UTAH. LOT 1 Top of Hole BAR SCALE Center of Pattern Bottom of Hole LOT 2 Ö 1910 1. Well footages are measured at right Brass Cap <u>.</u> angles to the Section Lines. NORTH 2. Bearings are based on Global Brass Cap N0.03,W Positioning Satellite observations. 3. The Center of Pattern footages are 1425' FNL & 30' FEL. WELL LOCATION: F-32-8-18 10T 3 ELEV. EXIST. GRADED GROUND = 5100' MADE BY ME OR UNDER AND SORIOR OF MY KNOWLEDGE THIS IS TO CERTIFY THAT ,65.00N LOT 4 Corner Missing: Corner 1910 Proportioned (Position Double Brass Cap (Not Set) Proportioned) N89°00'09"E - 2636.76' (Meas.) N89°00'09"E - 2597.21' (Meas.) TRI STATE LAND SURVEYING & CONSULTING N89°59'E - 79.40 (G.L.O.) 180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 = SECTION CORNERS LOCATED (435) 781-2501F-32-8-18 DATE SURVEYED: BASIS OF ELEV; Elevations are based on SURVEYED BY: K.S. VERSION: (Surface Location) NAD 83 08-05-11 an N.G.S. OPUS Correction. LOCATION: $LATITUDE = 40^{\circ} 04' 44.37''$ DATE DRAWN: DRAWN BY: F.T.M. LAT. 40°04'09.56" LONG. 110°00'43.28" LONGITUDE = 109° 55' 44.86 08-24-11 (Tristate Aluminum Cap) Elev. 5281.57' REVISED: SCALE: 1" = 1000'

## T8S, R18E, S.L.B.&M.



BASIS OF ELEV; Elevations are based on an N.G.S. OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57'



= SECTION CORNERS LOCATED


## NEWFIELD EXPLORATION COMPANY

TARGET BOTTOM HOLE, F-32-8-18, LOCATED AS SHOWN IN THE SW 1/4 NW 1/4 OF SECTION 32, T8S, R18E, S.L.B.&M. UINTAH COUNTY, UTAH.



#### NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 4. The Bottom of Hole footages are 1552' FNL & 145' FWL.



### TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. – VERNAL, UTAH 84078 (435) 781–2501

	(100) 701 2001	
DATE SURVEYED: 08-05-11	SURVEYED BY: K.S.	VERSION:
DATE DRAWN: 08-24-11	DRAWN BY: F.T.M.	\ /1
REVISED:	SCALE: 1" = 1000'	V I